

Plate Stacking Trolley TIA-80

- Easily-adjusted panels, suitable for all sized plates from 16 cm to 32 cm.
- Different diameters to be stackable on the same trolley.
- Available model 60, 80, 120 plates trolley.
- Plate spacing 75 mm.
- Plate holders with soft grip surface coated thermo polyethylene.
- Loading capacity 1,1 Kg per pair.
- Plate stacking trolley to be fitted corrosion-stainless steel 30x30 mm square tube profile.
- Square tubular uprights 25x25 mm made of 20 micron anodized aluminium.
- Lightweight, easy to move with 125 mm swivel caster.
- Dimensions: 720x720x1820 mm.



S.NO	DESCRIPTION	DIMENSIONS(MM)	WEIGHT(KG)	QUANTITY
1	UPPER BODY	30X30X1598	1,600	2
2	U PROFILE	660X35X39	1,050	2
3	ALIMUNIUM PROFILE	25X29X1590	0,600	4
4	LOWER BODY SQUARE PROFILE	30X30X1660	2,800	4
TOTAL		660X660X1820		-

Üçgen Endüstriyel Ürünler San.Tic.Ltd. Şti.
Istanbul/Turkey Tel : +90 212 - 886 71 91 / 90 Fax : +90 212 - 886 71 94
www.tribecafsp.com & export@tribecafsp.com



Üçgen Endüstriyel Ürünler San.Tic.Ltd. Şti.

Istanbul/Turkey Tel : +90 212 - 886 71 91 / 90 Fax : +90 212 - 886 71 94

www.tribecafsp.com & export@tribecafsp.com

S.NO	STOCK CODE	DESCRIPTION	WEIGHT	QUANTITY
1	TIA80.1	U PROFILE TOP	1,050	1
2	TIA80.2	UPPER BODY SIDE BOARD	1,600	2
3	TIA80.3	LOWER SQUARE PROFILE	2,800	1
4	TIA80.4	U LOW PROFILE	1,000	1
5	TIA80.5	ALUMINIUM PROFILE	0,600	4
6	PSM8	RIVET NUT	0,006	12
7	TIA80.6	SIDE HOLD PANEL	0,482	2
8	AVM8	ALLEN SCREW M8	0,15	8
9	KBSM8	DOME HEADED NUT M8	0,11	4
10	ABHVM6	ALLEN SCREW M6	0,002	4
11	TIA80.7	DOUBLE SIDED SCREW M10,M8	0,033	4
12	HFT130	130MM WHEEL W/BRAKE	0,708	4
13	INX610C	INOX 6X10 BOLT	0,003	12
14	SM6	M6 NUT	0,002	4
15	PL141	1/4 1MM SHIM	0,002	16
16	PSM6	RIVET NUT M6	0,004	12
17	K01	PRESERVATIVE	0,115	4
18	TIA80.8	BUTTERFLY SCREW M6	0,024	8
19	TIA80.9	PLATE CARRYING APPARATUS (LEFT)	0,039	80
20	TIA80.10	PLATE CARRYING APPARATUS (RIGHT)	0,039	80
21	SM8	M8 NUT	0,004	160

Üçgen Endüstriyel Ürünler San.Tic.Ltd. Şti.
Istanbul/Turkey Tel : +90 212 - 886 71 91 / 90 Fax : +90 212 - 886 71 94
www.tribecafsp.com & export@tribecafsp.com